FOUR STAR CHEMICAL -- TRONIC KLEEN, 4025 _____ MSDS Safety Information _____ FSC: 6850 MSDS Date: 05/08/1993 MSDS Num: BVMJQ LIIN: 00N052477 Product ID: TRONIC KLEEN, 4025 MFN: 01 Responsible Party Cage: 4STAR Name: FOUR STAR CHEMICAL Address: 5701 S COMPTON AVE City: LOS ANGELES CA 90011 Info Phone Number: 213-588-7166 Emergency Phone Number: 800-424-9300 (CHEMTREC) Proprietary Ind: Y Published: Y ______ Contractor Summary _______ Cage: 4STAR Name: FOUR STAR CHEMICAL Address: 5701 SO. COMPTON AVE Box: 280011 City: LOS ANGELES CA 90011 Phone: 213-588-7166 _____ Ingredients ______ Name: *** PROPRIETARY *** _____ Health Hazards Data _____ LD50 LC50 Mixture: NONE SPECIFIED BY MANUFACTURER. Route Of Entry Inds - Inhalation: YES Skin: NO Ingestion: NO Carcinogenicity Inds - NTP: NO IARC: NO OSHA: NO Effects of Exposure: ACUTE: INHAL: EXCESSIVE INHAL OF VAP CAN CAUSE NASAL & RESP IRRIT, DIZZ, WEAKNESS, FATG, NAUS, HDCH, AND POSSIBLE UNCONSCIOUSNESS. SKIN CONT/ABSORPTION:PRLNGD/RPTD CONT CAN CAUSE MOD IRRIT, DEFAT OR DER M. INGEST: CAN CAUSE GI IRRIT, NAUS, VOMIT & DIARR. ASPIR OF MATL INTO LUNGS CAN CAUSE CHEM DMG. (EFFECTS OF OVEREXP) Explanation Of Carcinogenicity: NOT RELEVANT. Signs And Symptions Of Overexposure: HLTH HAZ:EYES:CAN CAUSE SEVERE IRRITATION, REDNESS, TEARING AND BLURRED VISION. Medical Cond Aggravated By Exposure: NONE SPECIFIED BY MANUFACTURER. First Aid: EYES:FLUSH W/WATER FOR @ LEAST 15 MINS, LIFTING UPPER & LOWER LIDS. GET MED ATTN. SKIN:WASH EXPOSED AREA W/SOAP & WATER. INHAL:REMOVE TO FRESH AIR. IF BRTHG IS DFCLT, ADMIN OXYG. IF BRTHG HAS STOPPED, GIVE ARTF RESP. GET MED ATTN. INGEST:DO NOT INDUCE VOMIT. GET MED ATTN. ASPIR OF MATL INTO THE LUNGS DUE TO VOMIT CAN CAUSE CHEMICAL PNEUMONITIS. _____ Handling and Disposal _____

Spill Release Procedures: CLEAN UP AREA BY MOPPING/WITH ABSORBANT MATLS & PLACE IN CLSD CNTNR FOR DISPOSAL. CONSULT FEDERAL, STATE, AND LOCAL DISPOSAL AUTHORITIES. Neutralizing Agent: NONE SPECIFIED BY MANUFACTURER. Waste Disposal Methods: WHEN USED PROPERLY AEROSOL PROD DO NOT GENERATE HAZ WASTE. EMPTY DE-PRESSURIZED CNTNRS CAN NOT BE REUSED & SHOULD BE WRAPPED & PUT IN TRASH COLLECTION. CANS WHICH ARE PERMITTED/CONTAIN LIQ MUST BE DIS P OF IN PERMITTED WASTE MANAGEMENT (SUPDAT) Handling And Storage Precautions: DO NOT STORE @ TEMP ABOVE 120F. Other Precautions: PLEASE READ & FOLLOW DIRECTIONS ON PROD LABEL. ______ Fire and Explosion Hazard Information _____ Flash Point Text: -7F,-22C Lower Limits: 1.1% Upper Limits: 7.5% Extinguishing Media: FOAM, DRY CHEMICAL, CARBON DIOXIDE. Fire Fighting Procedures: USE NIOSH/MSHA APPROVED SCBA & FULL PROTECTIVE EQUIPMENT (FP N). AT ELEVATED TEMP (ABOVE 120F) CNTNRS MAY VENT, RUPTURE, OR BURST. Unusual Fire/Explosion Hazard: KEEP CNTNRS COOL. USE EQUIP/SHIELDING REQD TO PROTECT PERSONNEL AGAINST BURSTING, RUPTURING, VENTING CNTNRS. _____ Control Measures _____ Respiratory Protection: GOOD VENTILATION ADEQUATE. NIOSH/MSHA APPROVED RESPIRATOR APPROPRIATE FOR EXPOSURE OF CONCERN (FP N). Ventilation: PROVIDE SUFFICIENT MECHANICAL (GENERAL) AND/OR LOCAL EXHAUST VENT TO MAINTAIN EXPOSURE BELOW TLV(S). Protective Gloves: RESISTANT, SUCH AS NEOPRENE, (SUPDAT) Eye Protection: ANSI APPVD CHEM WORK GOGG (FP N). Other Protective Equipment: NONE SPECIFIED BY MANUFACTURER. Work Hygienic Practices: DO NOT EAT, DRINK, OR SMOKE IN WORK AREA. WASH HANDS BEFORE EATING. Supplemental Safety and Health: WASTE DISP METH: FACILITY. CONSULT FEDERAL, STATE, AND LOCAL DISP AUTHORITIES FOR APPRVD PROCEDURES. PROT GLOVES:NITRILE RUBB/POLYVINYL CHLORIDE. _____ Physical/Chemical Properties _____ Vapor Pres: 64.7 MM HG Spec Gravity: 1.16 Evaporation Rate & Reference: NOT KNOWN Solubility in Water: .014% Appearance and Odor: NONE SPECIFIED BY MANUFACTURER. Percent Volatiles by Volume: 99+ ______ Reactivity Data ______ Stability Indicator: YES Stability Condition To Avoid: DO NOT EXPOSE TO TEMPERATURE ABOVE 120F. Materials To Avoid: STRONG ALKALYES. Hazardous Decomposition Products: ABNORMALLY HIGH TEMP POSSIBLE TRACE AMOUNT OF PHOSGENE. Hazardous Polymerization Indicator: NO Conditions To Avoid Polymerization: NOT RELEVANT. -----Toxicological Information _____ _______ Ecological Information

_____ MSDS Transport Information ______ ______ Regulatory Information -----_____ Other Information _____ ______ HAZCOM Label _____ Product ID: TRONIC KLEEN, 4025 Cage: 4STAR Company Name: FOUR STAR CHEMICAL Street: 5701 SO. COMPTON AVE PO Box: 280011 City: LOS ANGELES CA Zipcode: 90011 Health Emergency Phone: 800-424-9300 (CHEMTREC) Label Required IND: Y Date Of Label Review: 08/26/1994 Status Code: C Label Date: 08/26/1994 Origination Code: G Eye Protection IND: YES Skin Protection IND: YES Signal Word: DANGER Respiratory Protection IND: YES Health Hazard: Moderate Contact Hazard: Slight Fire Hazard: Severe Reactivity Hazard: Slight Hazard And Precautions: EXTREMELY FLAMMABLE. ACUTE: MAY CAUSE EYE, SKIN, RESPIRATORY, AND DIGESTIVE SYSTEM IRRITATION RESULTING IN DIZZINESS, WEAKNESS, FATIGUE, NAUSEA, HEADACHE, VOMITING, DIARRHEA, AND POSSIBLE UNCONSCIOUSNE SS. CHRONIC:NONE SPECIFIED BY MANUFACTURER. _____ Disclaimer (provided with this information by the compiling agencies): This information is formulated for use by elements of the Department of Defense.

The United States of America in no manner whatsoever expressly or implied warrants, states, or intends said information to have any application, use or viability by or to any person or persons outside the Department of Defense nor any person or persons contracting with any instrumentality of the United States of America and disclaims all liability for such use. Any person utilizing this instruction who is not a military or civilian employee of the United States of America should seek competent professional advice to verify and assume responsibility for the suitability of this information to their particular situation regardless of similarity to a corresponding Department of Defense or other government situation.