How to Punctuate Display Equations



if the equation follows a complete sentence

The problem is then to determine if the following system (denoted (VC) for vertex color) has a feasible solution:

 $\begin{aligned} x_{ik} + x_{jk} &\leqslant 1 \quad \forall (i, j) \in E, \quad k = 1, \dots, K \\ \sum_{k} x_{ik} &= 1 \quad \forall i \in V \\ x_{ik} \in \{0, 1\} \quad \forall i \in V, \quad k = 1, \dots, K. \end{aligned}$

[2]

if the equation ends

an introductory clause

By defining

 $\psi_i = y_i(a_1x_{i1} + a_2x_{i2} + \dots + a_nx_{in} + \alpha)$

and observing the fact that a correct classification takes on the property

 $\psi i > 0$,

we can...

Adapted from [1].



"

if nonrestrictive* info follows

It is updated recursively following the update rule

$$p(t_k, r_k) = \frac{1}{C} L_k(s_k) \bar{p}(t_{k-1}, s_{k-1}),$$

where \bar{p} is the prior probability density...

Adapted from [3].





Sources:

[1] M. T. Miller, "Piecewise-affine classifiers in support vector machines," M.S. thesis, Dept of Op. Res. and Appl. Math., NPS, Monterey, CA, USA, 2019. [Online]. Available: <u>http://hdl.handle.net/10945/62730</u>

[2] A. Mehrotra and M. A. Trick, "A column generation approach for graph coloring," *INFORMS Journal on Computing*, vol. 8, no. 4, pp. 344–354, Nov. 1996. [Online]. doi: 10.1287/ijoc.8.4.344.

[3] M. Heaton, "Randomized path optimization for the mitigated counter-detection of UAVs," M.S. thesis, Dept of Appl. Math., NPS, Monterey, CA, USA, 2017. [Online]. Available: <u>http://hdl.handle.net/10945/55619</u>

* see our resources page for more info on nonrestrictive commas: https://nps.edu/web/gwc/commas-non-essential-elements

** FANBOYS = for, and, nor, but, or, yet, so https://nps.edu/web/gwc/commas-fanboys

